



MGB2 *Modular*

EUCHNER

More than safety.

NEW

MGB2 Modular

The new MGB2 represents the consequent further development of the globally successful Multifunctional Gate Box MGB. A revised design, new and expanded functions, as well as a modular layout offer maximum flexibility. The MGB2 is more than just pure safeguarding. It makes it possible to integrate into one device all the relevant functions related to the safety guard.

Simple connection concept

In the *Modular* version the MGB2 is equipped with a bus module (MBM) with PROFINET/PROFISAFE integrated. This module can either be connected directly to the MGB2 or, if space is tight, it can be mounted remotely. If the bus module is mounted remotely, it is even possible to connect several MGB2 *Modular* to one MBM.



Flexible integration of a large number of functions

Thanks to the modular design, the MGB2 *Modular* can be variably equipped with different functions. The MGB2 *Modular* offers space for two submodules, each with up to three different controls. It is possible to replace a submodule at any time, even during operation, as the new MGB2 *Modular* is hot-pluggable.



Variable in use and easy to mount

The MGB2 *Modular* can be fitted to doors hinged on the right and left, as well as to sliding doors. An integrated alignment aid shows at a glance whether the MGB2 *Modular* has been mounted correctly.

EUCHNER
More than safety.

Locking module

Comprising a robust, industrial housing with integrated mounting plate.

Submodules

2 submodules, each with up to 3 different controls, can be integrated into the locking module.

Auxiliary release

For releasing the guard locking if there is a power failure.

Detailed diagnostics

Several LED displays provide all relevant status information for each module at a glance.

Escape release (optional)

The escape release enables people accidentally locked in to the danger area to open the door.

Solid door stop

Handle module

Intuitive operation thanks to integrated door handle that can be rotated in 90 degree steps to suit the installation situation.

Lockout mechanism

The bolt tongue can be blocked for cleaning and service using up to 3 padlocks. A further automatically extending lockout mechanism provides space for another 3 padlocks.

Bolt tongue with transponder

The position of the bolt tongue is reliably detected thanks to the transponder.

Integrated alignment aid for mounting

The MGB2 can be mounted quickly and straightforwardly on hinged doors and on sliding doors. Thanks to the alignment aid it is immediately apparent whether the MGB2 has been mounted correctly.

Enabling-switch connection


M12 plug for the connection of a ZSA or ZSM enabling switch.

Various controls

Numerous controls such as emergency stop pushbuttons, illuminated pushbuttons, indicators, key-operated switches etc. are available.

Bus module

With integrated PROFINET/PROFISAFE. The MBM can either be connected directly to the MGB2 or mounted remotely.



Advantages of the MGB2 Modular at a glance:

- ▶ Modular design with submodules
- ▶ Several MGB2 can be connected to one bus module MBM
- ▶ Robust, industrial housing
- ▶ Easy mounting thanks to integrated mounting plates
- ▶ Category 4 / PL e for all safety functions acc. to EN ISO 13849-1
- ▶ Easy to service thanks to hot-plugging function
- ▶ High coding level acc. to EN ISO 14119
- ▶ Escape release can be retrofitted at any time
- ▶ Door handle with integrated door stop
- ▶ Integrated lockout mechanism
- ▶ Locking force 2000 N
- ▶ Degree of protection IP65
- ▶ For usage on hinged and sliding doors
- ▶ Comprehensive diagnostic functions directly on each module and in the control system



EUCHNER GmbH + Co. KG
Kohlhammerstraße 16
70771 Leinfelden-Echterdingen
Germany

Tel. +49 711 7597-0
Fax +49 711 753316
info@euchner.de
www.euchner.com

EUCHNER
More than safety.